

**Maharashtra University of Health Sciences, Nashik Inspection
Committee Report for Academic Year 2026-27**

Clinical Material in Hospital

Name of College/Institute : Govindrao Wanjari College of Nursing, Salai Gondhani Tah.
Nagpur dist. Nagpur

Faculty Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	MOU	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Nagpur Municipal corporation	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual 1:10	Yes	Adequate
c.	Average Bed Occupancy in % : 94% (Minimum 75%)	Yes	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	Adequate
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Yes Yes Yes Yes Yes	Adequate
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief Any Other, Please Specify:-

Date:-



for collector
Principal

Govindrao Wanjari College of Nursing,
Nagpur
Principal
Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

NAGPUR MUNICIPAL CORPORATION, NAGPUR

HEALTH DEPARTMENT



FORM C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Arti S. Wanjari (MBBS, DGO, DNB) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Wanjari Hospital situated at 181, Laxmi Complex, Bhande Plot Square, Umred Road, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 670

Maternity : 410


Date of Registration : 13/12/2004

Other Nursing : 490

Place : Nagpur

Date of issue of certificate : 01/05/2025

This certificate of registration shall be valid up to 31 Mar 2026.



Govindrao Wanjari B.Sc. Nursing College

Mauza 148, 149, Salai Godhani

Chikna Village, Nagpur

*For
Govindrao
Principal*

Signature
Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

*Secretary
Amar Seva Mandal
Samarthana Square, Nagpur*

This Certificate of Registration should be displayed in prominent place.
Application for renewal should be done in advance in the month of January.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/L.S.I
No:- Format1.0/PSO/UAN No.0000173741/CE/2307001724

Date: 26/07/2023

To,
M/s. Wanjari Hospital
181, Laxmi Complex, Bhande Plot
Square, Umred Road,
Nagpur -440024
Email: deepikaubale.knm@gmail.com
Contact No.: 8308290216



Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:

1. Your application for Combine Consent and Bio-Medical Waste Authorization submitted vide UAN No. MPCB-CONSENT-0000173741 dtd. 15/06/2023.
2. Scrutiny Letter communicated by Sub-Regional Officer Nagpur-II through web portal dtd. 03/07/2023.
3. Reply submitted by applicant vide letter dtd. 05/07/2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. Commissioning of unit or 5 years whichever is earlier
2. The capital investment of the HCF is **₹1037.61** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 41763.00 M² with Built-up area 1310.00 M².
4. **Activities Included**
 - a Research & Development Activity
 - b. Total Number of Beds : **100 Nos.** (As per BNH certificate no.

I. General Beds : **100 Nos.**

*For
Respectfully
Principal*

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chinchwad, Nagpur

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 22.4 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
			NA		

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
18. It is mandatory to applicants part to obtain Bombay Nursing Home Registration Certificate before applying for CCA (1st Operate).



737def0e
c376b074
af590a05
c8b7f803
7076e7aa
0c36e7a7
70659436
a7f424b8

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-07-26 17:42:09 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	50000.00	TXN2306002679	21/06/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur II
 - Regional Officer Nagpur is directed to ensure the submission of Fresh Bank Guarantees as specified in Schedule-III and monitor the compliance of the BG's
 - SRO Nagpur-II is directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

for
Ansleter
Page 3 of 9

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.40
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	17	As per clause 'C'	100% Recycle
2	Trade effluent	1.5	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Sel
Deblee

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981
and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

See
Govindrao Wanjari

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Performance			
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	To provide ETP/STP for the treatment of effluent arising from HCE related activities to achieve prescribed norms stipulated in CCA	Continuous	50,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.

8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

jan
jan
jan

Principal

महाराष्ट्र MAHARASHTRA

© 2023

1754A 166693

15 MAR 2024

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 25 Day June month 2024 Year

between

Gillurkar Hospital, Reshimbagh Square, Nagpur which is represented by its Principal/Dean Secretary of Trust herein named as party one

and

AMAR SEWA MANDAL'S GOVINDRAO WANJARI COLLEGE OF
NURSING (B.Sc.) College of B.Sc Nursing, SURVEY NO. 148, 149, MAUZA
SALAI GODHANI, TAH. NAGPUR, DIST. NAGPUR, Affiliated for MUHS,
Nashik represented by its Principal/Director/Dean herein named as party two

The parties hitherto agree as follows:

1. Party one declares that Gillurkar Hospital is a 30 bedded hospital, with a minimum of 30 beds for General Medicine Department.
2. Party one agrees to provide practice for student to party two in the hospital building to establish B.Sc. Nursing programs.

for 3
Dr. Jyoti Patel
Principal
Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

दस्ताव घटार / अनुसूट कमाल
 हक्क घटावी उत्तरार आही का ?
 असी दो घटावी तु तीव घटावी नव
 घटावी घटावी घटावी



for
Debbie
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauze 148, 149, Salai Godhani,
Chikna Village, Nagpur

3. Party one agrees to provide preceptorship required to train the B.Sc. Nursing students.

4. Party one agrees that, it will not enter into similar agreement with any other B.Sc. Nursing institution/s or department/s offering or intend to offer B.Sc. Nursing programme.

5. The prospective students will be allowed to undergo training in the following specialty departments

- * Medicine
- * Surgery
- * Pediatrics
- * Gynecology and Obstetrics
- * Psychiatry
- * Skin and VD
- * Orthopedics

6. Party two will provide the academic staff and necessary infrastructure for B.Sc. Nursing course as per the INC norms and takes the overall responsibility for smooth conduct of the programs.


7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other B.Sc. Nursing institution till the present agreement / MOU is in effect.


SIGNATURE


GILLIKAR MULTISPECIALITY HOSPITAL
20, Reshmaiagh, Unived Road, Nagpur
Reg. No., 450




Secretary
Amar Sewa Mandal
Kardara square, Nagpur


Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chilwa Vilage, Nagpur



NOTARIAL NOTARIAL NOTARIAL

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Chandrashekhar S. Gillurkar (MBBS,MD) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Gillurkar Multispeciality Hospital situated at 20, Reshimbag, Umred Road, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 459

Date of Registration : 24/09/1999

Place : Nagpur

Date of issue of certificate :01/04/2024

Maternity : 5

Other Nursing : 25

This certificate of registration shall be valid up to 31 Mar 2027.



J. Schlesinger
D. S. Schlesinger
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308

Fax: 0712 - 2560851

Website: <http://mpcb.gov.in>

Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/S.S.I

No:- Format1.0/RO/UAN No.0000204768/CO/2406000984

Date: 12/06/2024

To,
M/s. GILLURKAR MULTISPECIALITY HOSPITAL PVT LTD.,
PLOT NO. 20, RESHIMNAG, UMRED ROAD, NAGPUR,
DIST-NAGPUR.
Email:gillurkarhospital@gmail.com
Contact No.:9922733713



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Waste Authorization granted by the Board vide no. RO-Nagpur/BMW_Auth/2202000130 dtd 04/02/2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCF under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 31/05/2028.
2. The capital investment of the HCF is **₹124.08** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3000.00 M² with Built-up area 2500.00 M².

4. Activities Included

a. Total Number of Beds : **30 Nos.** 0

- I. Maternity Beds : **5 Nos**
- II. Other Beds : **25 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 4 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

Signature
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling &

7. Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur
(12-06-2024 10:32:11 am) /QMS.PO6_F02/00

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



3228121c
6d61795d
a6801ec6
78d4a6c2
742d0334
faa5a9d0
1d48e105
a68f0a7d

Signed by: Hema Deshpande
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2024-06-12 10:32:25 IST

Received Consent/Authorization fee of -

Sl No	Amount (Rs.)	Transaction/DR No.	Date	Transaction Type
1	30000.00	MPCB-DR-25834	10/04/2024	NEFT

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

*for
Principal*

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

महाराष्ट्र MAHARASHTRA

© 2023 Ⓜ

7462 746776

2362
26/06/2024

MEMORANDUM OF UNDERSTANDING

Stamp Head Clerks & Clerk

This memorandum of understanding is made on 25 Day June month 2024 Year

between

Chaudhari Hospital, Sakkardara Square, Nagpur which is represented by its Principal/Dean Secretary of Trust herein named as party one

and

AMAR SEWA MANDAL'S GOVINDRAO WANJARI COLLEGE OF NURSING (B.Sc.) College of B.Sc. Nursing, SURVEY NO. 148, 149, MAUZA SALAI GODHANI, TAH. NAGPUR, DIST. NAGPUR, Affiliated for MUMS, Nashik represented by its Principal/Dirctor/Dean herein named as party two

The parties hitherto agree as follows:

1. Party one declares that Chaudhari Hospital is a 100 bedded hospital, with a minimum of 50 beds for General Medicine Department.
2. Party one agrees to provide practice for student to party two in the hospital building to establish B.Sc. Nursing programs.



for

Deputy

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

दहताळा पंक्ती / अनुद्देश्य फ्रमाल
दहता नोटी उत्तमार आहेत का ?
प्रेषी लाला दहता दुलार विवाह उत्तमार ना
पिपासावारी वर्णन
प्रेषी लाला दहता, दुलार, उत्तमार
दुलार विवाह उत्तमार लाला, दहता, उत्तमार
हाते अगदकारी लाला नाम, दहता, दुलार
दुलार दहतार लाला
दुलार विवाह लाला, दहता अनुद्देश्य
एच. टी. आडवानी
लूने, 27/9/5, कोड क. 4801028
प्राप्तिका नामां

Amay semi Mandaf

16/3/2
26/2/4

₹ 480



For
Respect
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

3. Party one agrees to provide preceptors required to train the B.Sc. Nursing students.
4. Party one agrees that, it will not enter into similar agreement with any other B.Sc. Nursing institution/s or department/s offering or intend to offer B.Sc. Nursing programs.
5. The prospective students will be allowed to undergo training in the following specialty departments

- Medicine
- Surgery
- Pediatrics
- Gynecology and Obstetrics
- Psychiatry
- Skin and VD
- Orthopedics

ATTESTED


26/06/2024

Ruplata N. Nagpur (R. N. Nagpur)
Advocate & Notary
Plot No. 82, Shivanya Tower, C-12
Mira Road, Navi Mumbai 400706 (M.S)
THE NOTARY PUBLIC DOES A
NOTARIAL ACT
ASSUME ANY RESPONSIBILITY
OR LIABILITY FOR LEGALITY
PURSUANCE OF DOCUMENT
GENUINNESS AND FULFILMENT
OF ANY LEGAL REQUIREMENT


6. Party two will provide the academic staff and necessary infrastructure for B.Sc Nursing course as per the INC norms and takes the overall responsibility for smooth conduct of the programs.


7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other B.Sc. Nursing institution till the present agreement / MOU is in effect.


SIGNATURE

DR. SANJEEV CHAUDHARY
M/s (Guru) Orthopaedic Surgeon
Regd. No. 56327
CHAUDHARY HOSPITAL
Sudamnagar, Ulhas Road, NGP-09




Secretary
Amar Sewa Mandal
kkardara square, Nagpur.


Principal
Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godham,
Chikna Village, Nagpur

NAGPUR
NOTARIAL
NOTARIAL
NOTARIAL

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. SANJEEV DEVIDAS CHAUDHARY (M.B.B.S, M.S. ORTHO) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of CHAUDHARY HOSPITAL (FRACTURE ACCIDENT & ORTHOPEDIC NURSING HOME) situated at SUDAMPURI, OLD MIRCHI BAZAR, SAKKARDARA, NAGPUR and has been authorized to carry on the said nursing home.

Registration No. : 723

Maternity : 0

Date of Registration : 05/01/2006

Other Nursing : 50

Place : Nagpur

Date of issue of certificate : 01/04/2024

This certificate of registration shall be valid up to 31 Mar 2027.



Dr. D.S. Selokar
Dr. D.S. Selokar
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation
Deputy Principal
Principal

Govindrao Wanjari B.Sc. Nursing College

Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

MAHARASHTRA POLLUTION CONTROL BOARD

**Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in**



**Udyog Bhavan , 6th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001**

ORANGE/S.S.I

No:- Format1.0/RO/UAN No.0000175112/CO/2307001848

Date: 28/07/2023

To,
**M/s. Chaudhary Hospital (Fracture Accident And
Orthopadic Nursing Home),,
Sudampur, Old Mirchi Bazar, Umred Road, Sakkardara,
Nagpur Dist. Nagpur.**
Email:chaudharyhospital.ngp@gmail.com
Contact No.:9823261417



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Waste Authorization granted by the Board vide no. MPC/SRN-I/BMW/320/2013 dtd 28/02/2013

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 31/05/2024.
2. The capital investment of the HCF is **₹70.14** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 511.00 M² with Built-up area 887.00 M².

4. Activities Included

a. Total Number of Beds : 50 Nos. 0

I. General Beds : 46 Nos.

II. ICCU/ICU Beds : 4 Nos

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling &

7. Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	Hazardous Category No.	Quantity	UOM	Disposal
			NA		

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

Principal

Govindrao Wanjari B.Sc. Nursing College
Mlaudi 448, 149, Salai Godhani,
Chikna Village, Nagpur
Page 2 of 10

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



10221082
3133736d
405449c6
a7e32321
0c9d88e3
b8f58f63
9c0e3446
aa4f39a8

Signed by: Hema Deshpande
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2023-07-28 14:58:19 IST

Received Consent/Authorization fee of -

Sr.No	AMOUNT(Rs.)	TRANSACTION/DRAG	DATE	TRANSACTION TYPE
1	35000.00	TXN2306004672	30/06/2023	Online Payment
2	23631.00	TXN2307003904	28/07/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
 - - They are directed to ensure the compliance of the consent conditions.
 - SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

For
Deshpande
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose For Water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	16.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	12	As per clause 'C'	Septic tank Soak Pit
2	Trade effluent	2	As per clause 'C'	On land for Gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/l except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

for
Geetika
Principal

Govindrao Wanjari B.Sc. Nursing College
 Mauza 148, 149, Salai Godhani,
 Chikna Village, Nagpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose For Water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	16.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	12	As per clause 'C'	Septic tank Soak Pit
2	Trade effluent	2	As per clause 'C'	On land for Gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/l except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

for
Deputy
Principal

Govindrao Wanjari B.Sc. Nursing College
 Mauza 148, 149, Salai Godhani,
 Chikna Village, Nagpur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sl. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------


2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


 Govindrao Wanjari B.Sc. Nursing College
 Mauza 148, 149, Salai Godhani,
 Chikna Village, Nagpur

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	60.00		
		d) Expired or Discarded Medicines	3.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	15.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	80.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	5.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	5.00		

Geetika
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Akna Village, Nagpur

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Principal


Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTD	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	Effluent treatment plant not provided / need up gradation	Continuous	50,000.00
Total			1,50,000.00


Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.


 Govindrao Wanjari B.Sc. Nursing College
 Mauza 148, 149, Salai Godhani,
 Chikna Village, Nagpur

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.



Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Ghantna Village, Nagpur

Page 9 of 10

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Dr. Jayashree

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

Hg and its compounds	0.05 mg/Nm3	0	0	0
----------------------	-------------	---	---	---

Whether you have provided Online Continuous Emission Monitoring Systems (OCEMS)

No

Quantity of ash generated from Boiler (Tonnes/ month):

Mode of Disposal of Boiler ash

Provision Of Alternate Electric Supply

No

Separate Electricity Meter Provided to Pollution control Devices

No

Hazardous Waste

CHWTSDF Details

CHWTDF Facility Name

NA

CHWTDF Membership Number

0

Hazardous Waste Details

Description	Waste Category	Quantity in MT/Month
Cineration Ash	37.3	0
STP/ETP	35.3	0
Used Oil		0

Non-Hazardous Waste aspect

Description	Quantity	UOM	Treatment	Treatment	Remarks
MUNICIPAL SOLID WASTE	10.00	KG	NMC	0	0

5. Additional Information

Do you have Bio Medical Waste Management Committee Constituted

Average Cost (O & M) for ETP/STP

Rs. 0000

Average Cost of APCD Rs/Year

Brief details of tree plantation/green belt development within applicant's premises

Open Space Availability	Plantation Done On	Number of Trees Planted
10	3	2

Whether Environmental Statement submitted

No

Environmental Statement submitted Date

01-01-1970

Any other additional information that the applicants desires to give


Do you have Infection Control Committee Constituted

No

6. Financial Details

Is there any Bank Gurantee impose on you during previous Consent/Authorization period.

No


Govindrao Wanjari B.Sc. Nursing College
 Mauza 148, 149, Salai Godhani,
 Chikna Village, Nagpur
Principal

Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA

Additional Bank Gurantee Details, if Any

Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA



 Govindrao Wanjari
 B.Sc. Nursing College
 Mauza 148, 149, Salai Godhani,
 Chikna Village, Nagpur

SUPERB HYGIENIC DISPOSALS


C/O Mr. Bandy, 8A, Damodhar Colony,
Near Surendra Nagar Basketball Ground, NAGPUR - 440015
Phone No: 9922941639
Email Id: info@superbgroup.in



Unique Registration No.: NGHP0327



Registration Certificate



Outward No.: SHD/23-24/001478

Date: 18-Jan-2024

This is to certify that **CHAUDHARY HOSPITAL, SAKKARDARA, SUDAMPURI OLD MIRCHI BAZAR SAKKARDARA NAGPUR-440009** is registered with **SUPERB HYGIENIC DISPOSALS, NAGPUR** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE
(Name and Designation)

DR. SANJEEV D. CHOUDHARY
(MBBS,MS)

2. Bombay Nursing Home Act Registration Details

a. BNH Registration Number	723
b. BNH Issue Date	01-Apr-2021
c. Total Number of Beds	50
d. BNH Validity(Form 'C')	31-Mar-2024

3. Common Treatment Facility Registration Details

a. Date of Registration	01-Jul-2010
b. No. of Beds Registered	50
c. Registration Validity	31-Dec-2024

4. Renewal of CTF Membership(if applicable)

a. Renewal Date	31-Dec-2024
b. No. of Beds Registered	50

5. MPCB Consent (Establish/ 1st Operate/Renewal) Details

a. Consent/ CCA Number	FORMAT1.0/RO/UAN NO.0000175112/CO/2307001848
b. Issue Date	28-Jul-2023
d. Validity up to	31-May-2024

For SUPERB HYGIENIC DISPOSALS

Amala
for
Sealek
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण नंदळ

Application for Consent/ Authorisation

Sir,

I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M, & TM) Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

1. General Information

UAN No:

MPCB-CONSENT-0000242273

Application submitted on:

29-03-2025

Industry Information

Industry Type:
088 Health-care Establishment
(as defined in BMW Rules)

Category:
Orange

Scale:
S.S.I

Consent To:
Operate (Plain Renewal)

Submit to:
SRO - Nagpur I

Consent to Establish Details

Consent to Establish No.	Consent to Establish date	Consent to Establish Valid Upto
	01-01-1970	01-01-1970
Previous Consent No.	Previous Consent date	Previous Consent Valid Upto
MPCB-CONSENT-0000175112	28-07-2023	31-05-2024

Particulars of Applicant (Owner/Occupier/Any other Authorised Person)

First Name	Father / Husband Name
Dr. SANJEEV	DEVIDAS
Mobile No	Telephone/Fax
9823261417	07122743331
PAN No	Address
AANPC6303R	SUDAMPURI, UMRED ROAD, NAGPUR

Last Name	Designation
CHAUDHARY	DOCTOR
Email	Aadhar No
chaudharyhospital.ngp@gmail.com	252726200311
Pin Code	
440009	

Salai Godhani
Prineipal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

CHAUDHARY HOSPITAL (FRACTURE,
ACCIDENT & ORTHOPEDIC NURSING
HOME)

b) Address for Correspondence

Pin Code	District	City/Town
440009	Nagpur	Nagpur (Urban)
Survey/Gut No.	Name of premises /Building	Road/Street
2475	CHAUDHARY HOSPITAL FRACTURE ACCIDENT AND ORTHOPADIC NURSING HOME	UMRED ROAD
Area/Locality	Email	Website URL
Hanuman Nagar	chaudharyhospital.ngp@gmail.com	www.chaudharyhospital.com

c) Ownership of Facility

Private (Proprietary Establishment)

id Ownership

Self Owned

d) Month and year of commissioning of the HCF

05/01/2006

e) Area of the Facility / Hospital

i) Total plot area (in square meter)	ii) Built up area (in square meter)	iii) Open Plot Area (Sq.Mtr)
511	887	10.00

f) Enter Latitude and Longitude of site (In degrees)

Latitude (In degrees)	Longitude (In degrees)
21.12	79.11

g) Does HCF have Operation Theatre

No

Number of OT

2

Does HCF have Laundry facility in premises	No
Does HCF have Canteen/Cafeteria facility in premises	No
Does HCF have Hostel/Residential quarters in premises	No

3. BMMW Authorization Details

a) Type of health treatment system

Medicine, Other

b) Bombay Nursing Home Registration Details

Total number of Beds	BNH Registration Number	Valid Upto	First Issued Date
50	723	31-03-2027	01-04-2024

Certificate issuing Authority

Medical Officer or Health Officer of Municipal Corporation

*Sohail
Sohail
Principal*

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

c) Diagnostic and Pharma Facilities available in Premises

Pathology Lab	Yes	Average Samples/day	10

d) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose

No

Category wise Bio-Medical Waste Collected ,Treated,Disposed

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/M)
1	Yellow	a) Human Anatomical waste	20.00
		b) Animal Anatomical Waste	0
		c) Soiled Waste	63.00
		d) Expired or Discarded Medicines	3.00
		e) Chemical Waste	0
		f) Chemical Liquid Waste	0
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0
		h) Microbiology Biotechnology and other clinical laboratory waste	15.00
2	Red	Contaminated waste (Recyclable)	80.00
3	White (Translucent)	Waste sharps including Metals	10.00
4	Blue	a. Glassware	5.00
		b. Metallic body implants	5.00

Do you Have Equipment installed for Pretreatment of Yellow (g), (h) Category Waste

No

Whether you have establish a Bar-Code system for Bag or Containers containing Bio-Medical waste

No

Common Facility Membership Details (CTF)

CTF Name	Membership Number	Issued Date
/s. M/s. Superb Hygiene Disposals, Nagpur	NGHP0387	31-12-2025

4. Consent Details

a) Sources of Water

i) **Surface Water** Yes

Name of the water supply	Water Consumption Quantity (CMD)
NAGPUR MUNICIPAL CORPORATION	20

ii) **Ground Water** Noiii) **Tanker Water** No

b) Water Consumption Details

Raw Water (CMD)	Recycle Water (CMD)	Total Water Quantity Requirement (CMD)
20		20

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Disposal
Domestic Purpose	16	12	Local Bodies Sewer
Pathology Laboratory, Floor washing, Operation Theater	4	2	Local Bodies Sewer


 Govindrao Wanjari B.Sc. Nursing College
 Mauza 148, 149, Salai Godhani,
 Chikna Village, Nagpur

Laundry	0	0	Local Bodies Sewer
Industrial Cooling, spraying in mine pits or boiler feed	0	0	Local Bodies Sewer
Total	20.00	14.00	

d) Waste Water Treatment

Have you installed STP or ETP

Yes

1. Sewage Treatment Plant: No

2. Effluent Treatment Plant: Yes

3. Combined Treatment Plant: No

Effluent Treatment Plant

Capacity(CMD)

2

Preliminary:	Yes	Preliminary Treatment:	Bar Screens
Primary:	Yes	Primary Treatment:	Neutralization Tank
Secondary:	Yes	Secondary Treatment:	Secondary Clarifier
Tertiary:	Yes	Tertiary Treatment:	Sand & Carbon Filter
Advance:	No	Advance Treatment:	

e) Other waste generation details

1) Municipal Solid Waste

a) Biodegradable Waste(kg/day)	b) Recyclable Waste(kg/day)	c) Domestic Hazardous Waste(kg/day)
0	10.00	0

Air Pollution

Whether D.G. Set Installed

Yes

Capacity(KVA)	Make	Fuel Used	Fuel QTY	Unit	Stack Height in meter	Acoustic Enclosure for noise control
	tata motors	Diesel	4.50	Ltr/H	3.00	NO

Do you have Boiler Installed

No

*Seh
Jagadeb*

Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder etc. as per Central Board Publication "Emission regulations Part-III" (December, 1985)

Principal

Port hole

No

Platform

No

Ladder

Girindrao Wanjari B.Sc. Nursing College

No Mauza 148, 149, Salai Godhani,

Chikna Village, Nagpur

Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
Particulate matter	50 mg/Nm ³	0	0	0
Nitrogen oxides	400 mg/Nm ³	0	0	0
HCL	50 mg/Nm ³	0	0	0
Total Dioxins and Furans	0.1 ng TEQ/Nm ³ (at 11% O ₂)	0	0	0

STATE OF MAHARASHTRA

© 2023 ©

YEAR 2024

REGD. NO. 3563
DATE: 26/06/2024

25 JUN 2024

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 25 Day June month 2024 Year
between

Seven Star Hospital, Jagnade Square, Nagpur which is represented by its
Principal/Dean Secretary of Trust herein named as party one

and

AMAR SEWA MANDAL'S GOVINDRAO WANJARI COLLEGE OF
NURSING (B.Sc.) College of B.Sc Nursing, SURVEY NO. 148, 149, MAUZA
SALAI GODHANI, TAH. NAGPUR, DIST. NAGPUR, Affiliated for MUHS,
Nashik represented by its Principal/Director/Dean herein named as party two

The parties hitherto agree as follows:

1. Party one declares that Seven Star Hospital is a 100 bedded hospital, with
minimum of 150 beds for General Medicine Department.

*See
Respect*

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

दसाधा प्रकार / अनुच्छेद क्रमांक
दस भाईयी जगतार आवेदन का ?
प्र० तो उदाहरण द्वारा विद्या संस्कृत एवं
प्रियाकारी द्वारा
शेषांग विद्या, शृणु, शृणु, शृणु
प्र० उदाहरण विद्या प्रियाकारी नाम, शृणु, शृणु, शृणु
हते अनुच्छेद विद्या, शृणु, शृणु, शृणु
दूसरा प्रियाकारी नाम
प्र० उदाहरण विद्या प्रियाकारी नाम, शृणु, शृणु
एव. श्री. आदित्यानन्दी
ता.र. 27/95. क्र० अ. 480102
दिनांक वर्षा

Arrive 2nd week of
Aug 21st 1966
Leave 26th 1966
26 Aug 1966

for
Jaffee

Principal
Govindrao Wanjari P.Sc. Nursing College
Mauza 148, 149, Salav, Nashik
Chikna Village, Nagpur

2. Party one agrees to provide practice for student to party two in the hospital building to establish B.Sc. Nursing programs.
3. Party one agrees to provide preceptors required to train the B.Sc. Nursing students.
4. Party one agrees that, it will not enter into similar agreement with any other B.Sc. Nursing institution/s or department/s offering or intend to offer B.Sc. Nursing programs.
5. The prospective students will be allowed to undergo training in the following specialty departments

- Medicine
- Surgery
- Pediatrics
- Gynaecology and Obstetrics
- Psychiatry
- Skin and VD
- Orthopedics

6. Party two will provide the academic staff and necessary infrastructure for B.Sc Nursing course as per the INC notus and takes the overall responsibility for smooth conduct of the programs.
7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other B.Sc. Nursing institution till the present agreement / MOU is in effect.



Principal
Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

Secretary
Amar Sewa Mandal
Sakkardara square, Nagpur.

NOTARIAL NOTARIAL NOTARIAL

NAGPUR MUNICIPAL CORPORATION, NAGPUR

EDUCATIONAL DEPARTMENT



EDUCATION

Certificate of Registration under Section 3 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri Smt. Dr. Prashant V. Rahate (MBBS, MS) & Other (Mentioned
Six) has been registered under the Bombay Nursing Home Registration Act 1949 in respect
of Seven Star Hospital (A Unit of Nagpur Institute of Surgical Sciences & Research
Centre Pvt. Ltd.) situated at 324/1, Jagnade Square, Great Nag Road, Nagpur and has
been authorized to carry on the said nursing home.

Registration No. : 992

Maternity : 15

Date of Registration : 18/09/2017

Other Nursing : 135

Place : Nagpur

Date of issue of certificate : 01/04/2023

This certificate of registration shall be valid up to 31 Mar 2026.



for

Govindrao Wanjari

Principal

Govindrao Wanjari
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,

Chikna Village, Nagpur

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: <http://mpcb.gov.in>

Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

No:- Format1.0/CC/UAN No.0000121856/CR/2211000470

Date: 07/11/2022

To,

SEVENSTAR HOSPITAL A UNIT OF NAGPUR INSTITUTE OF
SURGICAL SCIENCES AND RESEARCH CENTRE PVT
324/1, JAGNADE SQUARE, NANDANWAN, GREAT NAG
ROAD, NAGPUR 440009

Email: pravin.nikhade12@gmail.com

Contact No.: 8983114466



Your Service is Our
Duty

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:

1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate1.0/BO/PSO/CC-1901002283 dated 30.01.2019
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 15/11/2021
3. Minutes of 16th CC meeting held on 30.12.2021
4. SCN for refusal issued on 15.02.2022
5. Your reply to SCN vide letter dated 25.02.2022, 02.07.2022
6. Visit of Board Official to your HCE on 30.06.2022
7. Minutes of 14th CC meeting held on 12.09.2022

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **11-11-2021 To 31-10-2023**
2. The capital investment of the HCF is **₹10138.00** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 10132.77 M² with Built-up area 2563.51 M².
4. **Activities Included**
 - a. Total Number of Beds : **150 Nos.** (As per BNH certificate no. 992 valid upto 31-03-2023)
 - I. General Beds : **135 Nos**
 - II. Maternity Beds : **15 Nos**

Seal
Lepele

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Ghat Land, Nagpur
CENTRE PVT

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 41.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		Other	As per Actual	Kg/Day	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

*See
Gentle
Principal*

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur
CENTRE PVT
Page 2 of 10

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The BG of Rs 50000/- obtained against provision of separate BMW storage facility shall be returned back as HCE has complied the same.
18. You shall submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



1b9591e0
545a2b3e
482c9126
494133ab
7bdbba09
2f4286e6
19c71717
599c5d59

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
psc@mpcb.gov.in
2022-11-07 | 6:18:43 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	500000.00	TXN2109001904	24/09/2021	Online Payment
2	25000.00	TXN2111000912	15/11/2021	Online Payment

Balance amount of Rs. 34480 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
 - - They are directed to ensure the compliance of the consent conditions.
 - SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	35.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	6.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	28	As per clause 'C'	Maximum recycle and remaining to local sewer.
2	Trade effluent	2	As per clause 'C'	Local sewer

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

*for
Dnyober
Prineipal*

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG 500 KVA	HSD	83.00 Ltr/Hr	30.00
2	DG 500 KVA	HSD	83.00 Ltr/Hr	30.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

See
Jaylekar
Principal

Govindrao Wanvari B.Sc. Nursing College

Madusa I+G, P.O. Chikna, Dist. Nagpur,
Chikna Village, Nagpur

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Category	Type of Waste	Quantity not to exceed - (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	5.00	Yellow coloured non- chlorinated plastic bags.
		b) Animal Anatomical Waste	0.00	
		c) Soiled Waste	749.14	
		d) Expired or Discarded Medicines	3.00	
		e) Chemical Waste	0.00	
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.
		h) Microbiology Biotechnology and other clinical laboratory waste	45.00	Autoclave safe plastic bags or containers.
2	Red	Contaminated waste (Recyclable)	1134.00	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
3	White (Translucent)	Waste sharps including Metals	30.00	Red coloured non chlorinated plastic bags or containers.
4	Blue	a) Glassware	245.00	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	10.00	Puncture proof, Leak proof with Blue coloured marking.

Seal
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikka Village, Nagpur

SCHEDULE-II

Responsibilities of the CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Prashant
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chinchwadi, Nagpur

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

*Ter
Dapde
Principal*

Govindrao Wanjari B.Sc. Nursing College

Mauza 148, 149, Se. 2, Akhail,
Chikna Village, Nagpur

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chile Village, Nagpur
CENTRE PVT

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Far
Desale
Principal
Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur




SUPERB HYGIENIC DISPOSALS

C/O Mr. Bande, 8A, Damodhar Colony,
Near Surendra Nagar Basketball Ground, NAGPUR - 440015
Phone No: 9922941639
Email Id: info@superbgroup.in



Unique Registration No.: NGPL1095



Registration Certificate



Outward No.: SHD/23-24/001687

Date: 06-Feb-2024

This is to certify that ACE CLINICAL PATHOLOGY LAB, MANEWADA ROAD, PACIFIC ENCLAVE, SHOP NO. 1, NEAR SAHYANDRI LAWN, MANEWADA ROAD, OMKAR NAGAR NAGPUR-440027 is registered with SUPERB HYGIENIC DISPOSALS, NAGPUR for Management of Bio Medical Waste in accordance with the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE
(Name and Designation)

SNEHA BARVE
LAB

2. Bombay Nursing Home Act Registration Details

- a. BNH Registration Number
- b. BNH Issue Date
- c. Total Number of Beds
- d. BNH Validity(Form 'C')

Not Applicable

0

3. Common Treatment Facility Registration Details

- a. Date of Registration 06-Feb-2024
- b. No. of Beds Registered 0
- c. Registration Validity 31-Jul-2024

4. Renewal of CTF Membership(if applicable)

- a. Renewal Date 31-Jul-2024
- b. No. of Beds Registered 0

5. MPCB Consent (Establish/ 1st Operate/Renewal) Details

- a. Consent/ CCA Number
- b. Issue Date
- c. Validity up to

Sneha Barve
Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

Akhlaq

For SUPERB HYGIENIC DISPOSALS

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

C/o Mr. Bande, 8A, Damodhar Colony, Near Surendra Nagar Basketball Ground, Nagpur
Off : 99229 41639 | 96071 96669 | www.superbgroup.in | info@superbgroup.in



Scanned with OKEN Scanner

 	
महाराष्ट्र शासन वैद्यकिय अधिकारी, प्रादेशिक मनोरुग्णालय, छिंदवाडा रोड, नागपूर - ३०	
आरोग्य सेवा दुरुस्थी क्र. : ०७१२ - २५८३१७६ फॅक्स क्र. : ०७१२ - २५८२२८८ e-mail : msmtmhn@rediffmail.com	जा.क्र./प्रामना/सी.सी/प्रिं/प्रस्ताव/ /२०२२ कार्यालय :- वैद्यकिय अधिकारी ३४२५ = २६ प्रादेशिक मनोरुग्णालय, नागपूर दिनांक :

प्रति,

मा.उपसंचालक,
 आरोग्य सेवा, नागपूर मंडळ, नागपूर

विषय :- 'गोविंदराव वंजारी कॉलेज ऑफ नर्सिंग, नागपूर मधिल
विद्यार्थ्यांना खाटा प्रात्याक्षिक अनुभवासाठी वापरप्यास परवानगी देण्याबाबत.


संदर्भ :- प्राचार्य, गोविंदराव वंजारी कॉलेज ऑफ नर्सिंग, नागपूर यांचे
 पत्र क्रमांक २१/२०२२ दिनांक १८/०६/२०२२

महोदय,

उपरोक्त संदर्भकित विषयान्वये आपणास कळविष्यात येते कि, प्राचार्य, गोविंदराव वंजारी कॉलेज ऑफ नर्सिंग, नागपूर संस्थेतील जी.एन.एम. नर्सिंग स्कूलचे विद्यार्थ्यांना या रुग्णालयात प्रात्याक्षिक अनुभवाची परवानगी मिळणेकरीता संदर्भीय पत्रानुसार विनंती अर्ज सादर केलेला होता.


सदर संस्थेने चेकलिस्टनुसार माहिती सादर असल्यामुळे या रुग्णालयात सदर संस्थेचे विद्यार्थ्यांना प्रात्याक्षिक परवानगी मिळण्याबाबतचा प्रस्ताव ३ प्रतीत सादर करण्यांत येत आहे.


सहपत्र - प्रस्ताव ३ प्रतीत.


 वैद्यकिय अधिकारी
 प्रादेशिक मनोरुग्णालय, नागपूर.

प्रतिलिपी :- १) मा.सहसंचालक, (आरोग्य संस्थामार्फत राबविष्यात येणारे कार्यक्रम) आरोग्य सेवा, आरोग्य भवन, मुंबई - १ यांना माहीतीकरीता.

२) प्राचार्य, गोविंदराव वंजारी कॉलेज ऑफ नर्सिंग, नागपूर ४४१२०४ यांना माहीतीकरीता सादर.


 Principal
 Govindrao Wanjari B.Sc. Nursing College
 Mauza 148, 149, Salai Godhani,
 Chikna Village, Nagpur



AMAR SEWA MANDAL

(Regd. No. M/220/78 NGP) F-2299 (N)

SAKKARDARA CHOWK, NAGPUR-440 024 • Ph : (0712) 2747853, 2747854, 2742308, 2749784
fax : (0712) 2747853 • e-mail : knchag@rediffmail.com • website : www.kumalonehrucollege.or.in



• DR. (Smt.) SUHASINI G. WANJARI President • MLC Adv. ABHIJIT G. WANJARI Secretary • DR. Mrs. SMEETAA A. WANJARI Treasurer

Ref. No: KNM/ASM/483/2025

Date: 09/06/2025

प्रति,

वैद्यकीय अधिकारी,

प्राथमिक आरोग्य केंद्र,

सालई, नागपूर.

विषय : - खासगी नर्सिंग प्रशिक्षण संस्थेतील प्रशिक्षणार्थी शासकीय रुग्णालयात प्रात्यक्षिक प्रशिक्षण करीत परवानगी देणेबाबत.

उपरोक्त वरील पत्रान्वये, अमर सेवा मंडळ द्वारा संचालक प्रस्तावित गोविंदराव वंजारी कॉलेज ऑफ नर्सिंग (बी.एस.सी. नर्सिंग), खासरा क्र. १४८, १४९, मौजा - सलाई गोधनी, ता. नागपूर, जि. नागपूर येथील नर्सिंग प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंगच्या प्रशिक्षणार्थी प्रात्यक्षिक अनुभव करीत जिल्हा शल्य चिकित्सा सामान्य रुग्णालय, नागपूर येथे विद्यार्थीना प्रशिक्षणासाठी परवानगी देण्यात यावे. अशी विनंती करण्यात येत आहे.

सचिव

अमर सेवा मंडळ

SECRETARY

AMAR SEWA MANDAL

SAKKARDARA CHOWK NAGPUR-440 024

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

Principal

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur



GOVINDRAO WANJARI COLLEGE OF NURSING

(B.Sc. NURSING)

Address : Survey No. 148+149, Mouza : Salai Godhani, Chikna Village,
Hudkeshwar Road, Nagpur - 441204. E-mail : gwcn09277@gmail.com



President
Dr. (Smt.) SUHASINI WANJARI

Secretary
Adv. ABHIJIT G. WANJARI

Treasurer
Dr. SMEETAA A. WANJARI

GWCN / ५६ / २०२६Date : २१ / ०१ / २०२६

प्रति,
मा. आरोग्य अधिकारी,
आरोग्य विभाग, नागपूर महानगर पालिका,
नागपूर.

विषय – नागपूर मनपा क्षेत्रात सन २०२५ - २६ आणि २०२६ - २७ च्या शैक्षणिक वर्षाकरिता शहरी आरोग्य सेवा प्रात्यक्षीक अनुभवाकरिता परवानगी मिळणेबाबत.

मा. महोदय,

उपरोक्त विषयास अनुसरून आपणांस सविनय अर्ज सादर करण्यात येते की, अमर सेवा मंडळ अंतर्गत नागपूर येथील गोविंदराव वंजारी कॉलेज ॲॉफ नर्सिंग नागपूर, येथे बी.एस. स्सी. नर्सिंग, अभ्यासक्रम सुरू आहे व महाविद्यालयास वैद्यकीय शिक्षण व औषधीद्रव्य विभाग, मुंबई, महाराष्ट्र शासन आणि महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक यांची परवानगी असून सदर प्रशिक्षणार्थीना महानगरपालिका क्षेत्रात येणाऱ्या नागरी भागात महाविद्यालयाच्या प्रशिक्षणार्थीना दरवर्षी परवानगी देण्यात येते.

तरी आपणास विनंती करण्यात येते की, महाविद्यालयास शैक्षणिक सत्र २०२५ - २६ आणि २०२६ - २७ शैक्षणिक सत्रा करिता प्रशिक्षणार्थीना नागरी क्षेत्रात परवानगी देण्यात यावी.

आपणांस विनंती करण्यात येते की, सदर अनुभवाकरिता आपल्या अटी व शर्थी अधिन राहून परवानगी देण्यात यावी.

ही विनंती.



गोविंदराव वंजारी कॉलेज (नागपूर).
मुद्रित दिनांक २९-१-२६

Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur

for
गोविंदराव
प्राचार्य
Principal
Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani
Chikna Village, Nagpur
Principal
Govindrao Wanjari B.Sc. Nursing College
Mauza 148, 149, Salai Godhani,
Chikna Village, Nagpur